

CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 01/08/2018

Revision date: 15/06/2018

Supersedes: 02/01/2017

Version: 2.0

SDS No: 11194-0142

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : CircoFlush PE15 N - Spain

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Disinfectant

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

GEA Farm Technologies GmbH

Siemensstraße 25-27

59199 Bönen - Germany

T + 49 (0) 23839370

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

Distributor

GEA Farm Technologies (UK) Ltd.

Wyllye Works, Watery Lane, Bishopstrow,

Warminster, Wiltshire BA12 9Ht - United Kingdom

T + 44 (0)1985 216444

1.4. Emergency telephone number

Emergency number : 24 Hour Emergency Telephone No. for advice on chemical emergencies, spillages, fires or First Aid: +44 (0) 870 1906777 (GEA Farm Technologies)
NATIONAL: In England and Wales: 111, In Scotland: 111
INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Organic Peroxides, Type F	H242
Corrosive to metals, Category 1	H290
Acute toxicity (oral), Category 4	H302
Acute toxicity (dermal), Category 4	H312
Acute toxicity (inhalation:dust,mist) Category 4	H332
Skin corrosion/irritation, Category 1A	H314
Serious eye damage/eye irritation, Category 1	H318
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335
Hazardous to the aquatic environment — Chronic Hazard, Category 1	H410

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Heating can cause a fire. May be corrosive to metals. Harmful in contact with skin. Harmful if inhaled. Harmful if swallowed. May cause respiratory irritation. Causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02

GHS05

GHS07

GHS09

Signal word (CLP)

: Danger

Hazardous ingredients

: hydrogen peroxide solution ; Acetic acid; peracetic acid

Hazard statements (CLP)

: H242 - Heating may cause a fire.
H290 - May be corrosive to metals.
H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled.
H314 - Causes severe skin burns and eye damage.
H335 - May cause respiratory irritation.
H410 - Very toxic to aquatic life with long lasting effects.

CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11194-0142

Precautionary statements (CLP) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P234 - Keep only in original packaging.
P220 - Keep away from clothing and other combustible materials.
P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection.
P363 - Wash contaminated clothing before reuse.
P391 - Collect spillage.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

PBT : Not applicable.
vPvB : Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Aqueous solution

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrogen peroxide solution	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0 (EC Index-No.) 008-003-00-9 (REACH-no) 01-2119485845-22	20 - <25	Ox. Liq. 1, H271 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Chronic 3, H412
Acetic acid	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6 (REACH-no) 01-2119475328-30	15 - <20	Flam. Liq. 3, H226 Skin Corr. 1A, H314
peracetic acid (Note D)	(CAS-No.) 79-21-0 (EC-No.) 201-186-8 (EC Index-No.) 607-094-00-8	15 - <20	Flam. Liq. 3, H226 Org. Perox. D, H242 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 STOT SE 3, H335 Aquatic Acute 1, H400

Specific concentration limits:

Name	Product identifier	Specific concentration limits
hydrogen peroxide solution	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0 (EC Index-No.) 008-003-00-9 (REACH-no) 01-2119485845-22	(5 =<C < 8) Eye Irrit. 2, H319 (8 =<C < 50) Eye Dam. 1, H318 (C >= 35) STOT SE 3, H335 (35 =<C < 50) Skin Irrit. 2, H315 (50 =<C < 70) Skin Corr. 1B, H314 (50 =<C < 70) Ox. Liq. 2, H272 (C >= 63) Aquatic Chronic 3, H412 (C >= 70) Skin Corr. 1A, H314 (C >= 70) Ox. Liq. 1, H271
Acetic acid	(CAS-No.) 64-19-7 (EC-No.) 200-580-7 (EC Index-No.) 607-002-00-6 (REACH-no) 01-2119475328-30	(10 =<C < 25) Eye Irrit. 2, H319 (10 =<C < 25) Skin Irrit. 2, H315 (25 =<C < 90) Skin Corr. 1B, H314 (C >= 90) Skin Corr. 1A, H314
peracetic acid	(CAS-No.) 79-21-0 (EC-No.) 201-186-8 (EC Index-No.) 607-094-00-8	(C >= 1) STOT SE 3, H335

Note D : Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.

Full text of H-statements: see section 16

CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11194-0142

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Take off contaminated clothes. Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice. Apply artificial respiration if breathing stopped. Call a physician immediately. Do not apply mouth-to-mouth resuscitation. In case of loss of conscience place the victim in the recovery position.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Wash immediately with plenty water (during 20 minutes), also under eyelids. Consult an eye specialist.
First-aid measures after ingestion	: Drink plenty of water. (1 - 2 dl). Rinse mouth. Do not induce vomiting. Call a physician immediately. May perforate the oesophagus or the digestive tract.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Gastric perforation. Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Keep under medical supervision for at least 48 hours.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire. Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Heating may cause a fire. Fire may produce: Oxygen.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Phosphorus oxides. Nitrous gasses.

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Other information	: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Keep public away from danger area.
------------------	--------------------------------------

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray.
----------------------	--

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Keep container tightly closed. Avoid contact with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Use only outdoors or in a well-ventilated area. Do not breathe dust/fume/gas/mist/vapours/spray.
-------------------------------	---

CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11194-0142

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Provision to contain effluent from fire extinguishing. Take precautionary measures against static discharge. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Electrical equipment should be protected to the appropriate standard.

Storage conditions : Keep container tightly closed. Store away from other materials. Protect from sunlight. Keep only in original container. Keep cool. Store in corrosive resistant container with a resistant inner liner. Store locked up. Store in a well-ventilated place.

Incompatible materials : Bases, combustible materials. Metals.

Packaging materials : Don't use packaging made out of aluminium, zinc or tin.

7.3. Specific end use(s)

See Heading 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Acetic acid (64-19-7)		
EU	Local name	Acetic acid
EU	IOELV TWA (mg/m ³)	25 mg/m ³
EU	IOELV TWA (ppm)	10 ppm
EU	IOELV STEL (mg/m ³)	50 mg/m ³
EU	IOELV STEL (ppm)	20 ppm
EU	Regulatory reference	COMMISSION DIRECTIVE (EU) 2017/164
United Kingdom	Local name	Acetic acid
United Kingdom	WEL TWA (mg/m ³)	25 mg/m ³
United Kingdom	WEL STEL (mg/m ³)	50 mg/m ³
United Kingdom	Regulatory reference	EH40. HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Take all necessary technical measures to avoid or minimize the release of the product on the workplace.

Materials for protective clothing:

Liquid splashes may occur. Acid-resistant boots. Acid-resistant clothing

Hand protection:

Please follow the instructions related to the permeability and the penetration time provided by the manufacturer. Follow the recommendations of the glove manufacturer for breakthrough properties especially for workplace conditions involving mechanical stress and contact duration.

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Butyl rubber	6 (> 480 minutes)	>= 0,4		EN 374

Eye protection:

Eyewash bottle with clean water. Safety glasses. Face shield

Skin and body protection:

Acid-resistant clothing

Respiratory protection:

In case of inadequate ventilation wear respiratory protection. If the occupational exposure limit is exceeded:

Device	Filter type	Condition	Standard
Breathing apparatus with filter	ABEK, Type P2		EN 141

CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11194-0142

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Colourless. clear
Odour	: Pungent. Acrid
Odour threshold	: No data available
pH	: < 1.5 @ 20°C
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: ≈ -42 °C
Boiling point	: ≈ 105 °C
Flash point	: 68 - 81 °C
Auto-ignition temperature	: 270 - 430 °C
Decomposition temperature	: ≥ 55 °C SADT
Flammability (solid, gas)	: Heating may cause a fire.
Vapour pressure	: 32 hPa @ 25°C
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.1 g/cm ³ @ 20°C
Solubility	: Soluble in organic solvents. Polar solvents. Water: completely miscible
Log Pow	: -1.25
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: Product is not explosive.
Oxidising properties	: May intensify fire; oxidiser.
Explosive limits	: No data available

9.2. Other information

VOC content	: 0 %
-------------	-------

SECTION 10: Stability and reactivity

10.1. Reactivity

Decomposes on heating. Heating may cause a fire. May cause or intensify fire; oxidiser.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Contact with combustible material may cause fire. Risk of explosion if heated under confinement. Exothermic reaction on contact with : Reducing agents. alkalis. Heating may cause a fire or explosion. Risk of bursting.

10.4. Conditions to avoid

Pollution. To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

reducing materials. metals. Flammable materials. acids and bases. Metallic salts. Organic materials.

10.6. Hazardous decomposition products

Oxygen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11194-0142

Acute toxicity (oral) : Oral: Harmful if swallowed.
Acute toxicity (dermal) : Dermal: Harmful in contact with skin.
Acute toxicity (inhalation) : Inhalation:dust,mist: Harmful if inhaled.

ATE CLP (oral)	1282.051 mg/kg bodyweight
ATE CLP (dermal)	1100 mg/kg bodyweight
ATE CLP (dust,mist)	3.846 mg/l/4h

Acetic acid (64-19-7)

LD50 oral	3310 mg/kg
LD50 dermal	1060 mg/kg

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: < 1.5 @ 20°C
Serious eye damage/irritation : Causes serious eye damage.
pH: < 1.5 @ 20°C
Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

hydrogen peroxide solution (7722-84-1)

IARC group	3 - Not classifiable
------------	----------------------

Reproductive toxicity : Not classified
STOT-single exposure : May cause respiratory irritation.
STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.
Acute aquatic toxicity : Not classified
Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Acetic acid (64-19-7)

EC50 Daphnia 1	65 mg/l
----------------	---------

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

CircoFlush PE15 N - Spain

Log Pow	-1.25
---------	-------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : May cause pH changes in aqueous ecological systems.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Do not dispose of with domestic waste. Do not re-use empty containers without proper cleaning or reconditioning. When not empty dispose of this container at hazardous or special waste collection point.
European List of Waste (LoW) code : 02 01 08* - agrochemical waste containing dangerous substances






CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11194-0142

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3109	3109	3109	3109	3109
14.2. UN proper shipping name				
ORGANIC PEROXIDE TYPE F, LIQUID (peracetic acid)	ORGANIC PEROXIDE TYPE F, LIQUID (peracetic acid)	Organic peroxide type f, liquid (peracetic acid)	ORGANIC PEROXIDE TYPE F, LIQUID (peracetic acid)	ORGANIC PEROXIDE TYPE F, LIQUID (peracetic acid)
Transport document description				
UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID (peracetic acid), 5.2, (D), ENVIRONMENTALLY HAZARDOUS	UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID (peracetic acid), 5.2, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 3109 Organic peroxide type f, liquid (peracetic acid) , 5.2, ENVIRONMENTALLY HAZARDOUS	UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID (peracetic acid), 5.2, ENVIRONMENTALLY HAZARDOUS	UN 3109 ORGANIC PEROXIDE TYPE F, LIQUID (peracetic acid), 5.2, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
5.2	5.2	5.2	5.2	5.2
				
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR) : P1
 Limited quantities (ADR) : 125ml
 Excepted quantities (ADR) : E0
 Packing instructions (ADR) : P520, IBC520
 Mixed packing provisions (ADR) : MP4
 Transport category (ADR) : 2
 Hazard identification number (Kemler No.) : 539
 Orange plates :



Tunnel restriction code (ADR) : D
 EAC code : 2W

Transport by sea

Packing instructions (IMDG) : P520
 EmS-No. (Fire) : F-J
 EmS-No. (Spillage) : S-R
 Stowage and handling (IMDG) : SW1
 Segregation (IMDG) : SG35, SG36, SG72
 Properties and observations (IMDG) : Decomposes at elevated temperatures or in a fire. Burns vigorously. Immiscible with water except for tert-butylhydroperoxide; dibenzoyl peroxide; dilauroylperoxide and peroxyacetic acid, type F, stabilized. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.
 MFAG-No : 145

CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11194-0142

Air transport

PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: 570
PCA max net quantity (IATA)	: 10L
CAO packing instructions (IATA)	: 570
CAO max net quantity (IATA)	: 25L
Special provisions (IATA)	: A20, A150
ERG code (IATA)	: 5L

Inland waterway transport

Classification code (ADN)	: P1
Special provisions (ADN)	: 122, 274
Limited quantities (ADN)	: 125 ml
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0

Rail transport

Classification code (RID)	: P1
Limited quantities (RID)	: 125ml
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P520, IBC520
Transport category (RID)	: 2
Hazard identification number (RID)	: 539

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions
Contains no substance on the REACH candidate list
Contains no REACH Annex XIV substances

VOC content	: 0 %
Seveso Additional information	: Hazardous to the Aquatic Environment in Category Acute 1 or Chronic 1

15.1.2. National regulations

United Kingdom

British National Regulations	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006.
------------------------------	--

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

All chapters have been modified since the previous version.

Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11194-0142

IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
DOT	Department of Transport
TDG	Transportation of Dangerous Goods
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IARC	International Agency for Research on Cancer
vPvB	Very Persistent and Very Bioaccumulative
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
CAS	CAS (Chemical Abstracts Service) number
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF	Bioconcentration factor
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG	Transport of Australian Dangerous Goods

Data sources : Raw material supplier's SDS. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Met. Corr. 1	Corrosive to metals, Category 1
Org. Perox. D	Organic Peroxides, Type D
Org. Perox. F	Organic Peroxides, Type F
Ox. Liq. 1	Oxidising Liquids, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H271	May cause fire or explosion; strong oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.

CircoFlush PE15 N - Spain

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11194-0142

H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Org. Perox. F	H242	Calculation method
Met. Corr. 1	H290	Calculation method
Acute Tox. 4 (Oral)	H302	Calculation method
Acute Tox. 4 (Dermal)	H312	Calculation method
Acute Tox. 4 (Inhalation:dust,mist)	H332	Calculation method
Skin Corr. 1A	H314	On basis of test data
Eye Dam. 1	H318	
STOT SE 3	H335	Calculation method
Aquatic Chronic 1	H410	Calculation method

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product